

**SECTION 18 CRISIS EXEMPTION USE DIRECTIONS  
FOR USE AND DISTRIBUTION ONLY WITHIN MALHEUR AND UNION COUNTIES OF OREGON  
FOR CONTROL OF TWOSPOTTED SPIDER MITES IN SUGAR BEETS.**

**Onager<sup>®</sup>**  
Miticide



**EMULSIFIABLE CONCENTRATE FOR AGRICULTURAL USE ONLY**

**EPA FILE SYMBOL NUMBER: 14-OR-06**

**EFFECTIVE DATE: July 31, 2014**

**EXPIRATION DATE: August 14, 2014**

**ACTIVE INGREDIENT: Hexythiazox**

**% By Wt.**

*trans*-5-(4-Chlorophenyl)-N-cyclohexyl-4-methyl-2-oxothiazolidine-3-carboxamide ..... 11.8%

**OTHER INGREDIENTS**.....88.2%

TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**THIS LABEL IS IN ADDITION TO THE STANDARD LABEL PRINTED ON THE CONTAINER**

Environmental Hazards: This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

**GENERAL INFORMATION**

Onager controls mites through its activity on eggs and immature stages. Onager does not kill adult mites although treated females will fail to lay viable eggs while in contact with treated foliage. Onager is not systemic and thorough coverage of leaf surfaces is necessary for effective control.

**DIRECTIONS FOR USE**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- All applicable restrictions, precautions, worker protection standard requirements, and directions for use on the EPA Section 3 label for Onager Miticide (EPA Reg. No. 10163-277) must be followed.
- This labeling must be in the possession of the user at the time of pesticide application.
- The Oregon Department of Agriculture must be immediately informed of any adverse effects which may result from use of this product on sugar beets.

**Application Equipment**

**Ground Application:** Apply the recommended rate of Onager by ground equipment at 15-20 GPA. Use a spray boom equipped to position one 16-inch boom drop extension per row, with two nozzles directed to spray up and under the crop canopy – one to the right and one to the left.

**Air Application:** Apply the recommended rate of Onager by air in a minimum of 5 GPA. Applications made by air to dense foliage may not provide adequate coverage of lower leaf surfaces for sufficient control. Use of higher labeled rates may be necessary.

**Chemigation:** Apply Onager only through sprinkler, including center pivot, lateral move, Low Energy Precision Applications (LEPA), end tow, side (wheel) roll, traveler, big gun, solid set, or hand move irrigation systems. Do not apply Onager through any other type of irrigation system.

CROP	PEST	RATE FL Oz./acre	COMMENTS
Sugar Beets	Two spotted spider mites	10-24	Apply Onager at the first sign of mites before populations begin to build.
	<ul style="list-style-type: none"><li>• Do not make more than one application per year.</li><li>• Do not apply within 21 days of harvest.</li></ul>		

Applications of Onager under this Section 18 Crisis Emergency Exemption are limited to infestations that meet the following Economic Threshold Criteria: Presence of mites on sugar beets