

RESTRICTED USE PESTICIDE Due to Toxicity in Fish, Mammals, and Aquatic Organisms

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.



Section 18 Emergency Exemption

SECTION 18 EMERGENCY EXEMPTION FOR THE USE OF AGRI-MEK® 0.15EC FOR SUPPRESSION OF THRIPS ON ONION IN OREGON (Clackamas, Klamath, Malheur, Marion, Morrow, and Umatilla Counties Only)

Oregon Product ID No. 2011OR007

Effective Date: June 24, 2011 Expiration Date: September 15, 2011

AGRI-MEK® 0.15EC

Active Ingredients:	
Abamectin (CAS No. 65195-56-4 and 65195-55-3)	2.0%*
Other Ingredients:	98.0%
Total:	100.0%
*1 gal. Contains 0.15 lb. abamectin	

KEEP OUT OF REACH OF CHILDREN

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL, CROP INJURY, AND/OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA-registered Agri-Mek 0.15EC label (EPA Reg. No. 100-898).

This label must be in the possession of the user at the time of pesticide application.

GENERAL INFORMATION

Use Restrictions and Precautions

- Apply as required based on local thresholds.
- Avoid rescue situations.
- Apply with ground equipment or air equipment using sufficient water and application methods to obtain full coverage of the foliage.
- Use a minimum spray volume of 20 gallons per acre by ground or 5 gallons per acre by air.
- Add a quality, penetrating non-ionic surfactant or crop oil concentrate at manufacture's recommended rate. Do not use sticker type adjuvants.
- See Agri-Mek label for comments on mixing with other products and crop phytotoxicity.
- Use a sound resistance management program including strategies found on the Agri-Mek label.
- Make 2 consecutive applications of Agri-Mek, then rotate to a chemistry with a different mode of action.
- Do not make more than 2 applications per season
- Do not apply within 30 days of harvest.
- Do not apply at intervals less than 7 days.
- Do not apply more than 16 fluid ounces per application.
- Do not apply more than 32 fluid ounces per season.
- Do not apply this product through any type of irrigation system.
- Do not apply by ground within 25 ft., or by air within 150 ft., of lakes; reservoirs; rivers; permanent streams, marshes or natural ponds; estuaries and commercial fish farm ponds.
- Do not allow this product to drift onto non-target areas. Drift may result in illegal residues or injury to nontarget species. Risk of exposure to sensitive areas can be reduced by applying this product when the wind direction is away from the sensitive area.
- Do not apply when the weather conditions may cause drift.
- Do not apply when wind speed is below 2 mph because wind direction will vary and there is a high potential for inversion.

CROP USE DIRECTIONS

Onion - For suppression* of thrips

	Use Rate	
Pest	AI/A	FI. Oz/A
Thrips	0.011 - 0.019	10-16

^{*} Suppression means either erratic control ranging from good to poor or consistent control at a level below that which is generally considered acceptable for commercial control.

Any adverse effects resulting from the use of Agri-Mek under this emergency exemption must be immediately reported to the Oregon Department of Agriculture.

Agri-Mek® trademark of a Syngenta Group Company.

Registrant: Syngenta Crop Protection,LLC P.O. Box 18300 Greensboro, NC 27419-8300

Label Code: OR0898146AB0611