



Bayer CropScience LP
 P.O. Box 12014, 2 T.W. Alexander Drive
 Research Triangle Park, North Carolina 27709
 1-866-99BAYER (1-866-992-2937)

MOVENTO®

For Use On Bulb Onion For Management of Onion Thrips

SECTION 18 EMERGENCY EXEMPTION

EPA File Symbol: 13-OR-05

**FOR DISTRIBUTION AND USE ONLY IN THE STATE OF OREGON
 UNDER SECTION 18 EMERGENCY EXEMPTION**

This labeling must be in possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire Directions for Use and Disclaimer of Warranties before using this product. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the registered product label for MOVENTO®. (EPA Registration Number: 264-1050).

Any adverse effects resulting from the use of MOVENTO® under this Section 18 Emergency Exemption must be immediately reported to the Oregon Department of Agriculture.

EFFECTIVE PERIOD:

This Section 18 Emergency Exemption becomes effective March 8, 2013 and expires on September 15, 2013.

A maximum of 21,900 acres of dry bulb onions may be treated under this exemption, in the following Oregon counties only: Clackamas, Klamath, Marion, Malheur, Morrow, and Umatilla.

DIRECTIONS FOR USE

CROP	PEST	Rate of MOVENTO® fluid ounces/Acre
Onion (bulb)	Onion thrips	5.0

Notes and Restrictions:

Pre-Harvest Interval (PHI): **7 days**

Minimum interval between applications: **7 days**

Maximum MOVENTO allowed per crop season: **10 fluid ounces/Acre of formulated product (0.16 lb ai/A)**

Onions must be harvested prior to bloom.

Do not apply more than two applications per acre per season.

MOVENTO can be applied by air or ground equipment.

To minimize drift to adjacent fields, use ground applications whenever possible.

To the extent possible, local beekeepers should be notified prior to applying this chemical.

Observe all Environmental Hazards contained on the Section 3 label.

Apply specified dosage of MOVENTO as needed for control. Treatment must be made when thrips populations begin to build and before a damaging population becomes established. Best results will be obtained when two applications are made on a 7-10 day interval, incorporated into a seasonal program where effective products with different modes of action are utilized in rotational sequences for management of thrips populations. **MOVENTO must be tank-mixed with a spray adjuvant having spreading and penetrating properties to maximize leaf uptake and systemicity of the active ingredient within treated plants; please contact your local Bayer CropScience representative or PCA for specific recommendations.**

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

*As with any crop-protection product, always read and follow label directions.
 For additional information call toll-free 1-866-99BAYER (1-866-992-2937).*